

Cable Antenna Accessories

RG213 - N male/N male - N plug/N plug

Reference	Description	Attenuation (dB)			VSWR
		1.5 GHz	1.9 GHz	2.4 GHz	1.5 to 2.4 GHz
MA716KV60	0.5 m RG213 cable fitted with N plug/N plug connectors	0.3	0.4	0.5	1.3
MA716KV54	1 m RG213 cable fitted with N plug/N plug connectors	0.6	0.7	0.8	1.3
MA716KV59	1.5 m RG213 cable fitted with N plug/N plug connectors	0.8	1	1.1	1.3

RG213 - N male/N female - N plug/N socket

Reference	Description	Attenuation (dB)			VSWR
		1.5 GHz	1.9 GHz	2.4 GHz	1.5 to 2.4 GHz
MA716KV53	0.5 m RG213 cable fitted with N plug/N socket connectors	0.3	0.3	0.4	1.3
MA716KV62	1 m RG213 cable fitted with N plug/N socket connectors	0.6	0.7	0.7	1.3
MA716KV61	1.5 m RG213 cable fitted with N plug/N socket connectors	0.7	1	1.1	1.3

Cable Antenna Accessories

Low loss cable Ø 5mm, SMA plug/N plug

Reference	Description	Attenuation (dB)	VSWR
		1.9 GHz	at 1.9 GHz
MA716KV41	1 m of low loss cable 5 mm dia. fitted with SMA plug/N plug connectors	0.7	1.5
MA716KV47	3 m of low loss cable 5 mm dia. fitted with SMA plug/N plug connectors	2.5	1.4
MA716KV56	3.5 m of low loss cable 5 mm dia. fitted with SMA plug/N plug connectors	2.8	1.3
MA716KV40	5 m of low loss cable 5 mm dia. fitted with SMA plug/N plug connectors	3.2	1.3

Low loss cable Ø 5 mm, SMA plug/SMA socket

Reference	Description	Attenuation (dB)	VSWR
		1.9 GHz	at 1.9 GHz
MA716KV55	3 m of low loss cable dia. fitted with SMA plug/SMA socket connectors	2.4	1.3

Cable Antenna Accessories

Low loss cable Ø 7 mm, SMA plug/N plug

Reference	Description	Attenuation (dB)			VSWR		
		900 MHz	1.9 GHz	3.4 GHz	900 MHz	1.9 GHz	3.4 GHz
MA716KV70	12 m of low loss cable 7 mm dia. fitted with SMA plug/N plug connectors	3	4.2	5.9	24	19	18
MA716KV76	20 m of low loss cable 7 mm dia. fitted with SMA plug/N plug connectors	4.5	6.4	8.7	23	20.5	19



MA716KV70 / MA716KV76



MA716KV77 / MA716KV78

Low loss cable Ø 7 mm, N plug/N plug

Reference	Description	Attenuation (dB)			VSWR		
		900 MHz	1.9 GHz	3.4 GHz	900 MHz	1.9 GHz	3.4 GHz
MA716KV77	5 m of low loss cable 7 mm dia. fitted with N plug/N plug connectors	1.3	1.8	2.3	22	19	17
MA716KV78	20 m of low loss cable 7 mm dia. fitted with SMA plug/N plug connectors	4.5	6.4	8.7	23	20.5	19